L Number	Hits	Search Text	DB	Time stamp
1	3	"4742467" and offset	USPAT; US-PGPUB; EPO; JPO;	2002/08/22 20:58
2	106	"4737921"	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/22 22:27
3	2	"6369812"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/22 22:28
4	0	"6369812" and morph\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/22 22:28
5	0	"4742467" and morph\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/22 22:28
6	2	"5825941" and morph\$3	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/22
_	404	345/339 and logic	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20 00:03
_	10139	345/\$.ccls. and logic	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20 00:03
_	o	345/\$.ccls. and logic same recompiling	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20 00:03
_	42	logic same recompiling	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20
-	12	logic near5 recompiling	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20 00:09
-	0	logic near5 recompiling and 345/\$.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20 00:04
-	0	logic near5 recompiling and 345/339.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20 00:04
_	1	logic near5 recompiling same graphics	DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/08/20

_	Ō	logic near5 (search\$3 and recompiling) same graphics	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/20
-	0	logic near10 (search\$3 and recompiling) same graphics	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20
-	1	logic same (search\$3 and recompiling) same graphics	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20
_	0	logic same recompiling and 345/\$.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20
-	14	logic near10 recompiling	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20
-	220	logic near10 (compiling or recompiling)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20 00:09
-	20	logic near10 (compiling or recompiling) and logic same graphics	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20
-	5	logic near10 (compiling or recompiling) and logic same graphics same program	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20
-	5	logic near10 (compiling or recompiling) and logic same graphics same (program and logic)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/20
-	1	logic near10 (compiling or recompiling) and logic same graphics same (program and logic) and size	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/20 00:12
-	1	logic near10 (compiling or recompiling) and logic same graphics same (program and logic) and size and menu	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/20 00:13
-	1	logic near10 (compiling or recompiling) and logic same graphics same (program and logic) and size and menu and template and objects	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/20
_	0	logic near10 (compiling or recompiling) and logic same graphics same (program and logic) and size and menu and template and objects and logic same	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/20 00:14
_	- 0	(replac\$3 or recompil\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/08/20

-	0	logic near10 (compiling or	USPAT;	2002/08/20
1		recompiling) and logic same graphics same	US-PGPUB;	00:14
1		(program and logic) and size and menu and	EPO; JPO;	
	1	template and objects and logic same (replac\$3 or recompil\$3 or substitut\$4 or	DERWENT; IBM TDB	,
		remov\$3)	1514_105	
_	1	logic near10 (compiling or	USPAT;	2002/08/20
		recompiling) and logic same graphics same	US-PGPUB;	00:15
	}	(program and logic) and size and menu and	EPO; JPO;	
		template	DERWENT;	
		"4742467"	IBM_TDB	2002/08/20
-	54	4/4246/	USPAT; US-PGPUB;	00:15
			EPO; JPO;	00.10
		•	DERWENT;	
			IBM_TDB	
-	27	"4742467" and logic	USPAT;	2002/08/20
			US-PGPUB; EPO; JPO;	00:15
			DERWENT;	
1			IBM_TDB	
-	7	"4742467" and logic and graphics and	USPAT;	2002/08/20
		objects and (size or attributes)	US-PGPUB;	00:16
1			EPO; JPO; DERWENT;	
1			IBM TDB	
-	6	"4742467" and logic and graphics and	USPAT;	2002/08/20
	1	objects and (size or attributes) and user	US-PGPUB;	00:16
,			EPO; JPO;	
			DERWENT;	
_	6	"4742467" and logic and graphics and	IBM_TDB USPAT;	2002/08/20
		objects and (size or attributes) and user	US-PGPUB;	00:18
		and logic	EPO; JPO;	
			DERWENT;	
	1.0	H4740467H	IBM_TDB	0000/00/00
-	12	"4742467" and (program\$4 or code or encoded or encoding or logic) and	USPAT; US-PGPUB;	2002/08/20 00:31
		graphics and objects and (size or	EPO; JPO;	00.31
		attributes) and user	DERWENT;	
			IBM_TDB	
-	0	"4742467" and (program\$4 or code or	USPAT;	2002/08/20
		encoded or encoding or logic)same recompiling and graphics and objects and	US-PGPUB; EPO; JPO;	00:31
		(size or attributes) and user	DERWENT;	
			IBM_TDB	
-	101	(program\$4 or code or encoded or	USPĀT;	2002/08/20
1		encoding or logic) same recompiling and	US-PGPUB;	00:32
		graphics and objects and (size or attributes) and user	EPO; JPO; DERWENT;	
1		accribaces/and user	IBM TDB	
-	58	(program\$4 or code or encoded or	USPAT;	2002/08/20
1		encoding or logic) same recompiling and	US-PGPUB;	00:32
1		graphics and objects and (size or	EPO; JPO;	
1		attributes) and user and attribute\$1	DERWENT; IBM TDB	
-	43	(program\$4 or code or encoded or	USPAT;	2002/08/20
1		encoding or logic) same recompiling and	US-PGPUB;	00:32
1		graphics and objects and (size or	EPO; JPO;	
1		attributes) and user and attribute\$1 and size	DERWENT;	
_	19	size (program\$4 or code or encoded or	IBM_TDB USPAT;	2002/08/20
		encoding or logic) same recompiling and	US-PGPUB;	00:33
1		graphics and objects and (size or	EPO; JPO;	
1	1	attributes) and user and attribute\$1 and	DERWENT;	
1_	19	size and template (program\$4 or code or encoded or	IBM_TDB USPAT;	2002/08/20
-	19	encoding or logic) same recompiling and	US-PGPUB;	00:34
		graphics and objects and (size or	EPO; JPO;	
1	1	attributes) and user and attribute\$1 and	DERWENT;	
1		size and template and (user or interface	IBM_TDB	
	1	or gui)	L	

-	13	(program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) same recompiling and	US-PGPUB;	00:35
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;]
		size and template and (user or interface	IBM_TDB	
		or gui)and position\$3		/
-	5	(program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) same recompiling and	US-PGPUB;	00:35
İ		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	l
	_	or gui)and position\$3 and iteration	Hanne.	2002/08/20
-	5	(program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near10 recompiling and	US-PGPUB;	00:37
		graphics and objects and (size or	EPO; JPO;	
1	,	attributes) and user and attribute\$1 and	DERWENT;	!
		size and template and (user or interface	IBM_TDB	
		or gui) and position\$3 and iteration	HCDAM.	2002/08/20
-	0	(program\$4 or code or encoded or	USPAT; US-PGPUB;	2002/08/20
		encoding or logic) near5 recompiling and	EPO; JPO;	00.38
		graphics and objects and (size or	1 '	
		attributes) and user and attribute\$1 and size and template and (user or interface	DERWENT;	
ļ		or qui)and position\$3 and iteration and	IBM_TDB	
		logic near5 driven		
_	0	rogic nears driven (program\$4 or code or encoded or	USPAT;	2002/08/20
1		encoding or logic) near5 recompiling and	US-PGPUB;	00:38
		graphics and objects and (size or	EPO; JPO;	00.30
1	İ	attributes) and user and attribute\$1 and	DERWENT;	
	1	size and template and (user or interface	IBM TDB	
		or gui) and position \$3 and iteration and	1511_155	
		logic near5 operated		
_	5	(program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near5 recompiling and	US-PGPUB;	00:39
		graphics and objects and (size or	EPO; JPO;	
1		attributes) and user and attribute\$1 and	DERWENT;	
i		size and template and (user or interface	IBM_TDB	
		or gui) and position\$3 and iteration	_	
-	4	(program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near5 recompiling and	US-PGPUB;	00:39
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
		or gui)and position\$3 and iteration and		
		pop adj up		
-	4	(program\$4 or code or encoded or	USPAT;	2002/08/20
	1	encoding or logic) near5 recompiling and	US-PGPUB;	00:40
1		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
		or gui) and position\$3 and iteration and		
		pop adj up and template same object	HCDAM.	2002/09/20
-	0	(program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near5 recompiling and	US-PGPUB;	00:40
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
		or gui) and position\$3 and iteration and		
		<pre>pop adj up and template same (object and graphical)</pre>		
1_	4	graphical) (program\$4 or code or encoded or	USPAT;	2002/08/20
	3	encoding or logic) near5 recompiling and	US-PGPUB;	00:42
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM TDB	
	1	or gui) and position \$3 and iteration and		
		pop adj up and template same object and		
		replac\$3		
		·		

-	32	"5566295"	USPAT;	2002/08/20
			US-PGPUB;	00:42
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	12	"5831611"	USPAT;	2002/08/20
			US-PGPUB;	00:42
			EPO; JPO;]
		•	DERWENT;	l
			IBM_TDB	
-	5	"5973686"	USPAT;	2002/08/20
			US-PGPUB;	00:43
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	53	((program\$4 or code or encoded or	USPAT;	2002/08/20
	!	encoding or logic) near5 recompiling and	US-PGPUB;	00:46
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
		or gui)and position\$3 and iteration and	_	
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686"		1
-	22	<pre>{((program\$4 or code or encoded or</pre>	USPAT;	2002/08/20
		encoding or logic)near5 recompiling and	US-PGPUB;	00:43
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
		or gui)and position\$3 and iteration and		
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size		1
-	20	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic)near5 recompiling and	US-PGPUB;	00:43
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	[
İ	i	or gui)and position\$3 and iteration and		
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
1				
-	41	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic)near5 recompiling and	US-PGPUB;	00:43
		graphics and objects and (size or	EPO; JPO;	
		attributes)and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	1
			_	
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		1
		"5973686") and graphic\$3		1
_	41	encoding or logic) near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or	US-PGPUB; EPO; JPO; DERWENT;	

	22	((((program\$4 or code or encoded or	USPAT;	2002/08/20
_	23		· ·	00:44
		encoding or logic) near5 recompiling and	US-PGPUB;	00:44
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
	*	or gui)and position\$3 and iteration and		
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and graphic\$3) and ((((
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
			,	
		template and (user or interface or		
		gui)and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		qui) and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))		
	8	1	USPAT;	2002/08/20
-	°		US-PGPUB;	00:44
		encoding or logic) near5 recompiling and	· ·	00.44
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
		or gui)and position\$3 and iteration and		
		pop adj up and template same object and		
ł		replac\$3) or "5566295" or "5831611" or		
1	1	"5973686") and graphic\$3) and ((((
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics		
	1	and objects and (size or attributes) and		l
		user and attribute\$1 and size and		
		template and (user or interface or		
		qui) and position \$3 and iteration and pop		
		adj up and template same object and	1	
		replac\$3) or "5566295" or "5831611" or		
1		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		(programs or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and	ļ	
		user and attribute\$1 and size and	1	
		template and (user or interface or	1	
		gui) and position\$3 and iteration and pop	1	
		adj up and template same object and	1	
		replac\$3) or "5566295" or "5831611" or	1	1
		"5973686") and size))and template	•	

	•		
8	((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:44
1	((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:45
53	user same permission ((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686" or ((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:47

				1 2002 /20 /20
-	23	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near5 recompiling and	US-PGPUB;	00:51
ĺ		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
i		size and template and (user or interface	IBM_TDB	
		or gui)and position\$3 and iteration and		
}		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		İ
		"5973686" or ((program\$4 or code or		
		encoded or encoding or logic)near5		
		recompiling and graphics and objects and		1
		(size or attributes) and user and		1
		attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		
		and iteration and pop adj up and template		
1		same object)) and (((((program\$4 or		
		code or encoded or encoding or		
		logic) near5 recompiling and graphics and		
		objects and (size or attributes) and user	i	
ŀ		and attribute\$1 and size and template and		
		(user or interface or qui) and position\$3		
		and iteration and pop adj up and template	ļ	
		same object and replac\$3) or "5566295" or		
		"5831611" or "5973686") and graphic\$3)		
:		and (((((program\$4 or code or encoded		
ľ		or encoding or logic) near5 recompiling		
		and graphics and objects and (size or	l	
		attributes) and user and attribute\$1 and		
		size and template and (user or interface		
		or gui)and position\$3 and iteration and		
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
1		template and (user or interface or		
		gui)and position\$3 and iteration and pop		
j	j			
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size)))		

		•		
	8	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near5 recompiling and	US-PGPUB;	00:51
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM TDB	
		or gui) and position\$3 and iteration and	1011_100	i i
		• • • • • • • • • • • • • • • • • • •		
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		!
		"5973686" or ((program\$4 or code or		
		encoded or encoding or logic)near5		
		recompiling and graphics and objects and		
		(size or attributes) and user and		
		attribute\$1 and size and template and		
		(user or interface or gui)and position\$3		
		and iteration and pop adj up and template		
		<pre>same object)) and (((((program\$4 or</pre>		
		code or encoded or encoding or		·
		logic)near5 recompiling and graphics and		
		objects and (size or attributes) and user		
		and attribute\$1 and size and template and		
,		(user or interface or qui) and position\$3		
		and iteration and pop adj up and template		
		same object and replac\$3) or "5566295" or		
		"5831611" or "5973686") and graphic\$3)		
		and (((((program\$4 or code or encoded		
ļ		or encoding or logic)near5 recompiling and graphics and objects and (size or		
		, , ,		
		attributes) and user and attribute\$1 and		
i		size and template and (user or interface		
		or gui)and position\$3 and iteration and	,	
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		İ
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes)and		ĺ
		user and attribute\$1 and size and		
		template and (user or interface or		
İ		gui)and position\$3 and iteration and pop		i
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))) and ((((
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		'
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		Į.
		adj up and template same object and		[
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and graphic\$3) and ((((
		(program\$4 or code or encoded or encoding	İ	
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and		Į
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui)and position\$3 and iteration and pop		Ì
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
	į	(program\$4 or code or encoded or encoding		1
•		or logic) near5 recompiling and graphics		
}		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui)and position\$3 and iteration and pop-		· -
		adj up and template same object and		' I
ļ		replac\$3) or "5566295" or "5831611" or		l
		"5973686") and size))and template)		

4	(((program\$4 or code or encoded or	USPAT;	2002/08/20
	encoding or logic)near5 recompiling and	US-PGPUB;	00:51
	graphics and objects and (size or	EPO; JPO;	
	attributes) and user and attribute\$1 and	DERWENT;	
	size and template and (user or interface	IBM_TDB	
	or gui)and position\$3 and iteration and		
	pop adj up and template same object and		
	replac\$3) or "5566295" or "5831611" or "5973686" or ((program\$4 or code or		
	encoded or encoding or logic) near5		
	recompiling and graphics and objects and (size or attributes) and user and		
	attribute\$1 and size and template and		ļ
	(user or interface or gui) and position\$3		
	and iteration and pop adj up and template		
	same object)) and (((((program\$4 or		
	code or encoded or encoding or		
	logic) near5 recompiling and graphics and		
	objects and (size or attributes) and user		
	and attribute\$1 and size and template and		
	(user or interface or gui)and position\$3		
	and iteration and pop adj up and template		
	same object and replac\$3) or "5566295" or		
	"5831611" or "5973686") and graphic\$3)		
	and (((((program\$4 or code or encoded		
	or encoding or logic)near5 recompiling		
	and graphics and objects and (size or		
	attributes) and user and attribute\$1 and size and template and (user or interface		
	or gui)and position\$3 and iteration and		
	pop adj up and template same object and		
	replac\$3) or "5566295" or "5831611" or		
	"5973686") and attribute\$1) or (((
	(program\$4 or code or encoded or encoding		
	or logic)near5 recompiling and graphics		
	and objects and (size or attributes) and		
	user and attribute\$1 and size and		
1	template and (user or interface or		
	gui)and position\$3 and iteration and pop		i .
	adj up and template same object and		
	replac\$3) or "5566295" or "5831611" or		
	"5973686") and size))) and (((((program\$4 or code or encoded or encoding		
	or logic) near5 recompiling and graphics		
	and objects and (size or attributes) and		
	user and attribute\$1 and size and		
	template and (user or interface or		l i
	gui)and position\$3 and iteration and pop		
	adj up and template same object and		
	replac\$3) or "5566295" or "5831611" or		
	"5973686") and graphic\$3) and ((((
	(program\$4 or code or encoded or encoding		
	or logic)near5 recompiling and graphics and objects and (size or attributes)and		
	user and attribute\$1 and size and		
	template and (user or interface or		
	gui) and position\$3 and iteration and pop		
	adj up and template same object and		
	replac\$3) or "5566295" or "5831611" or		
	"5973686") and attribute\$1) or (((
	(program\$4 or code or encoded or encoding		
	or logic) near5 recompiling and graphics		
	and objects and (size or attributes) and		
	user and attribute\$1 and size and template and (user or interface or	•	
	gui)and position\$3 and iteration and pop		
	adj up and template same object and		
	replac\$3) or "5566295" or "5831611" or		
	"5973686") and size)) and template) and		
 	345/\$.ccls.		
 			

encoding or logic/near5 recompiling and graphics and objects and (size or attributes) and user and attributes) and size and template and (user or interface or sys73686" or (program34 or code or encoded or encoding or logic/near5 recompiling and graphics and (size or attributes) and size and template same object and (size or attributes) and size and template same objects and (size or attributes) and size and template and attributes) and size and template and attributes) and size and template and objects and (size or attributes) and graphics and objects and objects and (size or attributes) and graphics and objects and (size or attributes) and user and attributes) and size and template and (user or interface or guiland positions) and tributes and speed of size or attributes) and user and attributes and size and template and (user or interface or guiland positions) and ((() (program34 or code or encoded or encoding or logic/near5 recompiling and graphics) and objects and (size or attributes) and size and template and (user or interface or guiland positions) and size and template and (user or interface or guiland positions) and treation and size and template and (user or interface or guiland positions) and treation and size and template and (user or interface or guiland positions) and treation and objects and (size or attributes) and user and objects and (size or attributes) and user and attributes) and user and objects and object and replaces) or "5856295" or "8931611" or "5973686") and graphics and					
graphics and objects and (size or attributes) and size and template and (user or interface or gui) and position33 and iteration and pop ad) up and template same object and replaca3) or "Sc6285" or "Sc31611" or "Group and template same object and size or attributes) and graphics and objects and (size or attributes) and size and template and (user or interface or gui) and position33 and iteration and pop ad) up and template same object) and ((user or interface or gui) and position33 and iteration and pop ad) up and template same object) and (((((programs4 or occore or encoded or encoding or logic) pears (recompiling and graphics) and user or interface or gui) and position33 and iteration and pop ad) up and template same object and replaces3) or "Sc62625" or "Sc31611" or "Sc73666") and size and template and (user or interface or gui) and position33 and (((((programs4 or ocode or encoded or encoding or logic) pears (recompiling and graphics)) and (((((programs4 or ocode or encoded or encoding or logic) pears recompiling and graphics and objects and (size or attributes) and user and attributes) and user an	-	5	(((program\$4 or code or encoded or	USPAT;	2002/08/20
attributes) and user and attributes) and size and template and cor interface or gui) and position53 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5576686" or (program4) or code or encoded or encoding or logicinear5 and (size or attributes) and user and attributes) and user and attributes) and user and attributes) and user and objects and size and template and (user or interface or gui) and position53 and iteration and pop adj up and template same object) and (((() program5) or code or encoded or encoding or logicinear5 recompiling and graphics and objects and (size or attributes) and user and attributes] and size and template and (user or interface or gui) and position33 and (interface or gui) and position33 and ((() (program5) or "5566255" or "5831611" or "5973686") and graphic3) and ((() (program5) or code or encoded or encoding or logicinear5 recompiling and graphic3) and objects and size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position33 and ((() (program5) or code or encoded or encoding or logicinear5 recompiling and graphics and objects and size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position33 and iteration and pop adj up and template and (user or interface or gui) and position33 and iteration and objects and (size or attributes) and user and attributes1 and user and attributes3 and user and attributes3 and user and attributes3 and user and attributes3 and user and attributes3 and user and attributes3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and repl				US-PGPUB;	00:50
size and template and (user or interface or qui) and position \$3\$ and iteration and pop adj up and template same object and replac\$3) or "\$566299" or "\$93161" or "\$973686" or ({program84 or code or encoded or encoding or logic/near\$ and attribute\$1 and size and template and (size or artributes) and user and attribute\$1 and size and template and (user or interface or gui) and pop adj up and template same object) and ((((((program84 or code or encoded or encoding or logic/near\$ recompiling and graphics and objects and (size or attributes) and user and atteration and pop adj up and template same object and explaces and (size or attributes) and user or interface or gui) and emplation\$3 and iteration and pop adj up and template same object and replac\$3) or "\$566295" or "\$531611" or "\$973686") and ((((((program84 or code or encoded or encoding or logic/near\$ recompiling and graphics and objects and (size or attributes) and graphics and pop adj up and template same object and replac\$3) and (((((((program84 or code or encoded or encoding or logic/near\$ recompiling and graphics and objects and (size or attributes) and size in the same object and replac\$30 or "\$566295" or "\$937866") and attribute\$1 and size and size or attributes and attribute\$1 and pop adj up and template same object and replac\$30 or "\$566295" or "\$831611" or "\$9578666") and attribute\$1 or (((((((((((((((((((((((((((((((((((graphics and objects and (size or	EPO; JPO;	
or gui) and positions3 and iteration and pop adj up and template same object and replac33) or "5566295" or "583161" or "5973686" or (program84 or code or encoded or encoding or logic) hears recompiling and graphics and objects and stribute31 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object) and (((() (program84 or code or encoded or encoding or logic) hears recompiling and graphics and objects and (size or attribute3) and user and terribute31 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template and (user or interface or gui) and graphics and and (((() (program84 or code or encoded or encoding or logic) hears recompiling and graphics and and ((() (program84 or code or encoded or encoding or logic) hears recompiling and graphics and objects and (size or attribute3) and user and attribute\$1 and size and template and (user or interface or gui) and pop adj up and template and (user or interface or gui) and pop sition\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "973686" or "5831611" or "9737686" or "5831611" or "9737686" or "5831611" or "9737686" or "5831611" or "9737686" or "5831611" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "9737686" or "97			,	DERWENT;	
pop adj up and template same object and replac33) or "5566295" or "5831611" or "5973686" or (program34 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes] and user and template and (user or interface or guil and position33 and iteration and pop adj up and template and objects and (size or attributes) and user and objects and (size or attributes) and user and attributes or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes] and size and template and (user or interface or guil and position53 and iteration and pop adj up and template same object and replac453 or "5566295" or "5831611" or "5973686") and graphic33 and (it(program34 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and size and template and pop adj up and template asme object and replac433 or "5566295" or "5831611" or "5973686") and attributes] or (((program34) or code or encoding or logic)near5 recompiling and graphics and objects and size and template and user or interface or guil and position53 and iteration and pop adj up and attributes] or (((program34) or code or encoded or encoding or logic)near5 recompiling and graphics and objects and size or attributes) and user and attributes and size and template and (user or interface or guil and position53 and iteration and pop adj user and attribute\$1 and size and template and (user or interface or guil and position53 and iteration and pop adj up and template and (user or interface or guil and position53 or "556295" or "5831611" or "5973686") and size) and terration and pop adj up and template and (user or interface or guil and position53 and iteration and pop adj up and template and (user or interface or guil and position53 and iteration and pop adj up and template and cuser or interface or guil and position53 and iteration and pop adj up and template and cuser or interface or guil and positi				IBM_TDB	
replace3) or "5566295" or "5831611" or "5973686" or (program34 or code or encoded or encoding or logic) nears recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object)) and ((((program34 or code or encoded or encoding or logic transported and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replace33) or "5566295" or "5831611" or "5973686") and graphic33) and iteration and pop adj up and template same object and replace33) or "5566295" or "5831611" or "5973686") and graphic33) and ((((program34 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replace\$3) or "5566295" or "831611" or "5973686" in secompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replace30 or "5566295" or "831611" or "5973686") and size) and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replace30 or "5566295" or "831611" or "5973686") and size) and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replace30 or "5566295" or "831611" or "5973686") and size) and templates and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replace30 or "5566295" or "831611" or "5973686") and size) and terribute\$1 and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template) and size and template and user or interface or gui)and po			l		
"5973686" or ((programs4 or code or encoded or encoding or logic)nears' recompiling and graphics and objects and (size or attributes) and user and attributes! and size and template and (user or interface or gui) and position\$3 and iteration and pop add up and template same object) and (((()) programs4 or compiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop add up and template and (user or interface or gui) and position\$3 and iteration and pop add up and template same object and ((()) or "5956295" or "5956295" or "5956295" or "5956295" or "5956295" or "5956295" or "5956295" or "5956295" or "5956295" or "59573686") and graphics 31 and (((()) (grograms4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and (size or attributes) and user and attributes and or encoding or gui) and position\$3 and iteration and pop add up and template same object and replac\$3] or "5956295" or "8931611" or "5973686") and attribute\$1) or ((() (grograms4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop add user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop add ((() (programs4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop add user and attribute\$1 and size and template and (size or attributes) and user and attribute\$1 and size and template and (size or attributes) and user and attribute\$1 and size and templates and objects and objects and size and templates and objects and size and templates and user or interface or gui) and position\$3 and iteration and pop add up and template same					
encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui)and position33 and teration and pops adj up and template same object)) and (((((program84 or code or encoded or encoding or logic)mear5 recompiling and graphand user and attributes1 and size and template and (user or interface or gui)and position33 and iteration and pops adj up and template same object and replac33) or "5566295" or "5831611" or "5973686") and graphic33) and (((((program84 or code or encoded or encoding or logic)mear5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui)and position33 and iteration and pop adj up and template same object and replac33) or "556625" or "583161" or "(program84 or code or encoded or encoding or logic)mear5 recompiliny and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui)and position5 and iteration and pop adj up and template same object and replac33) or "556625" or "583161" or "(program84 or code or encoded or encoding or logic)mear5 recompiliny and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui)and position53 and iteration and pop adj up and template same object and replac33) or "5566259" or "5831611" or "5973686") and size))) and (((((program84 or code or encoded or encoding or logic)mear5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and queer on interface or gui) and position53 and iteration and pop adj up and template same object and replac33) or "5566295" or "5831611" or "5973686") and graphic31 and iteration and popsition63 and iteration and pop adj up and template same object and replac33) or "5566295" or "5831611" or "5973686") and attributes1 and size and template and (user or interface or					
recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or guijand positions3 and iteration and pop adj up and template same object) and (((((program84 or code or encoded or encoding or logic) near or encoded or encoding or logic) near or encompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and positions3 and iteration are spaced by "556629" or "5331611" or "5973686") and graphic33) and (((((program84 or code or encoded or encoding or logic) nears recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and positions3 and iteration and pop adj up and template same object and replacs3) or "5566295" or "5831611" or "5973686") and attributes1) or ((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1) or ((() (program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes2 and template same object and replacs30 or "5566295" or "5831611" or "gui) and position53 and iteration and pop adj up and template same object and replacs30 or "5566295" or "for and (()() (program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position53 and iteration and pop adj up and template same object and replacs31 or "5566295" or "5831611" or "5973686") and graphic33 and (((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position53 and iteration and pop adj up and template same object and replacs31 or "5566295" or "5831611" or "5973					
(size or attributes) and user and attributes and (user or interface or gui) and position33 and iteration and pops adj up and template same object)) and (((((program84 or code or encoded or encoding or logic) hear5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position33 and iteration and pop adj up and template same object and replace3) or "556259" or "5331611" or "5973686") and graphics and (((((program84 or code or encoded or encoding or logic) hear5 recompiling and graphics and objects and (size or attributes) and user and attributes) and user and attribute81 or attribute81 and size and template and (user or interface or gui) and position3 and interation and proplac3) or "5560296" or "5831611" or "5973686") and attribute31) or ((((program84 or code or encoded or encoding or logic) hear5 recompiling and graphics and objects and (size or attribute8) and user and attribute81 and size and template and (user or interface or gui) and position33 and iteration and popelate and (user or interface or gui) and position33 and iteration and popelate and user and attribute81 and size and template and size and template and size and template and size and template and size and template and size and template and size and template and size or attribute81 and replac33) or "556295" or "5831611" or "5973686") and size)) and (((((program84 or code or encoded or encoding or logic) hear5 recompiling and graphics and objects and (size or attribute8) and user and attribute81 and size and template and (user or interface or gui) and position33 and iteration and pop adj up and template same object and replac33) or "5566296" or "5831611" or "5973686") and graphic31 and (((((program84 or code or encoded or encoding or logic) hear5 recompiling and graphics and begins and objects and (size or attribute81) or "5973686") and attribute81 and size and template same object and replac33) or "5566296" or "5831611" or "5973686") and attribute81 and					
attributes1 and size and template and (user or interface or gui) and position33 and iteration and pop adj up and template same object) and (((((programs)) and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position33 and iteration and pop adj up and template same object and replac33) or "5566295" or "5881611" or "5973686") and graphic33) and (((((programs4 or code or encoded or encoding or logic) near recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position33 and iteration and pop adj up and template same object and replac33) or "5566295" or "5881611" or "5973686") and attributes1 or (((programs4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and (size or attributes) and user and attributes1) or (((programs4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and user or interface or gui) and position53 and iteration and pop adj up and template and encoding or logic) near5 recompiling and graphics and objects and size or attributes1 and replac33) or "5566295" or "5881611" or "5973686") and size) and ((((programs4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and size) and ((((programs4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and size or attributes1 and template and user and attributes1 and size and template and user and attributes2 and user and attributes3 and objects and size or attributes3 and template and user or interface or gui) and position3 and iteration and pop adj up and template same object and replac33) or "5566295" or "5831611" or "5973686") and size or attributes3 and template and user and attributes1) or ((((program54 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and si					. 1
(user or interface or gui) and positions3 and iteration and pop adj up and template same object) and (((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute81 and size and template and (user or interface or gui) and positions3 and iteration and pop adj up and template same object and replace3) or "556259" or "5931611" or "5973686") and graphics3) and (((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute8) and user and attribute81 or attribute81 and size and template and (user or interface or gui) and positions3 and iteration and pop add and size in the size and template and (user or interface or gui) and positions or "5973686") and attribute81) or ((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute8) and user and attribute81 and size and template and (user or interface or gui) and positions3 and iteration and pop adj up and template and more of the size and replace31) or "5566295" or "5831611" or "5973686") and size)) and (((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and replace31) or "5566295" or "5831611" or "5973686") and size)) and (((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute8) and user and attribute81 and size and template and (user or interface or gui) and positions3 and iteration and pop adj up and template same object and replace31) or "5566295" or "5831611" or "5973686") and graphics3 and teration and pop adj up and template same object and replace33) or "5566296" or "5831611" or "5973686") and graphics3 and objects and (size or attribute81) and user and attribute81 and size and template and user or coded or encoding or logic)near5 recompiling and graphics and objects and size) and template and user and attribute81 and size and template31 or "5566296" or "5831611			i '		
and iteration and pop adj up and template same object) and (((((program\$4 or code or encoded or encoding or logic)mears recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5931611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "581611" or "5973686") and attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and size or attribute\$1 and size and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and template and template and prophicas and objects and size or attribute\$1 and size and template and user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and template same object and template and user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831610" or "5973686") and attribute\$1 and size and template and user or interface or gui) and positi					
same object) and (((() program% or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "556295" or "5831611" or "5973686") and graphic\$3) and (((() program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((() (program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size or attribute\$1 and replac\$31 or "5566295" or "5831611" or "5973686") and size))) and (((() (program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$1 and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((() (program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3 and iteration and pop adj up and template same object and replac\$3 and (program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "556			l ·		
code or encoded or encoding or logic)nears recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui)and position33 and iteration and pop adj up and template same object and replac33) or "5566295" or "5931611" or "5973686") and graphic33 and ({((() [program34 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui)and position33 and iteration and pop adj up and template same object and replac33) or "5566295" or "5831611" or "5973686") and attributes1) or ({((program34 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui)and position33 and iteration and pop adj up and template 3 and iteration and pop adj up and templates and of size or attributes) and user and attribute\$1 and size and replac33) or "5566295" or "5831611" or "5973686" and size interface or gui)and position33 and iteration and pop adj up and template same object and replac33) or "5566295" or "5831611" or "5973686" and size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and templates and size or attributes) and user and attribute\$1 and size and template and separation and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686" and size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 or (((((c) (program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration					
logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui)and position83 and iteration and pop adj up and template same object and replac3) or "556295" or "5831611" or "5973686") and graphic33 and ((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position83 and iteration and pop adj up and template same object and replac33) or "5566295" or "5831611" or "5973686") and attribute\$1) or (((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac33) or "5566295" or "5831611" or "5973686") and size))) and ((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template same object and replac33) or "5566295" or "5831611" or "5973686") and size))) and ((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template same object and replac3) or "5566295" or "5831611" or "5973686") and graphic33 and (i(((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 or ((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration					
objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5931611" or "5973686") and graphic\$3) and ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5891611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and satribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and user or interface or gui) and position\$3 and iteration and pop adj up and template same object and			l =		
and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3 and (((((program\$4) or code or encoded or encoding or logic)near\$ recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template asme object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3] or "5566295" or "5831611" or "5973686") and size)) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3 or "5566295" or "5831611" or "5973686") and graphics and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3 or "5566295" or "5831611" or "5973686") and graphics3 and defended or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and					
(user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)hear5 recompiling and graphics and objects and size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)hear5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)hear5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object tand replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)hear5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphics3) and (((((program\$4 or code or encoded or encoding or logic)hear5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") an					
and iteration and pop adj up and template same object and replac3) or "5566295" or "5831611" or "5973686") and graphic33) and (((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5891611" or "5973686") and attribute\$1) or ((((program84 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3 or "5566295" or "5831611" or "5973686") and size) and iteration and pop adj up and template same object and replac\$3 or "5566295" or "5831611" or "5973686") and graphic3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3 or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object tond replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui			· •		
same object and replac\$3 or "5566295" or "5931611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973666") and attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template and size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size or attribute\$1 and size and replac\$3) or "5566295" or "5831611" or "5973686") and size or attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) or interf					
and (((((programs) or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes) and positions and (user or interface or gui) and positions and (user or interface or gui) and positions and iteration and pop adj up and template same object and replacs) or "5566295" or "5831611" or "5973686") and attributes) or ((((programs)4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and positions) and iteration and pop adj up and template same object and replacs3) or "5566295" or "5831611" or "5973686") and size)) and ((((programs)4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and positions3 and iteration and pop adj up and template same object and replacs3) or "5566295" or "5831611" or "5973686") and graphics3 and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and positions3 and iteration and pop adj up and template same object and replacs3) or "5566295" or "5831611" or "5973686") and graphics3) and ((((programs)4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and user or interface or gui) and positions3 and iteration and pop adj up and template same object and replacs3) or "5566295" or "5831611" or "5973686") and attributes1 and size and template and objects and (size or attributes) and user and attributes1 and size and template same object and replacs3) or "5566295" or "5831611" or "5973686") and attributes1 and size and template same object and replacs3) or "5566295" or "5831611" or "5973686") and attributes1 and size and template and (user or interface or gui) and positions3 and iteration and pop adj u					
and (((((program¾4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute§1 and size and template and (user or interface or gui) and position§3 and iteration and pop adj up and template same object and replac§3) or "5566295" or "5831611" or "5973666" and attribute§1) or ((((program¾4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute§1 and size and template and (user or interface or gui) and position§3 and iteration and pop adj up and template same object and replac§3) or "5566295" or "5831611" or "5973666") and size)) and (((((program¾4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute§) and user and attribute§1 and size and template and (user or interface or gui) and position§3 and iteration and pop adj up and template same object and replac§3) or "5566295" or "5831611" or "5973666") and graphic3) and ((((program¾4 or code or encoded or encoding or logic) and graphic3) and ((((program¾4 or code or encoded or encoding or logic) and graphic3) and ((((program¾4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and (size or attribute§1 and user and attribute§1 and size and template and (user or interface or gui) and position§3 and iteration and pop adj up and template same object and replac§3) or "5566295" or "5831611" or "5973666") and attribute§1 or ((((program¾4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and (size or attribute§1 and size and template and (user or interface or gui) and position§3 and iteration and pop adj up and template same object and replac§3) or "5566295" or "5831611" or "5973666") and size or attribute§1 and user and attribute§1 and size and template and (user or interface or gui) and position§3 and iteration and pop adj up and template same object and replac§3) or "5566295" or "5831611" or "5973660")					
or encoding or logic)nears recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size or attribute\$1 and replac\$3) or "5566295" or "5831611" or "5973686") and size or attribute\$1 or (((((((((((((((((((
and graphics and objects and (size or attributes) and user and attributes) and user and attributes and size and template and (user or interface or gui) and positions 3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5973686") and attributes) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5973686" and size)) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5973686" and graphic\$3 and off code or encoded or encoding or logic)near5 recompiling and graphics and replac\$3) or "5566295" or "583161" or "5973686" and graphic\$3 and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attributes1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5973686" and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5973686" and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5973686") and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5973686") and size) and bieretion and pop adj	1				
attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near\$ recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near\$ recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3 and ((((program\$4 or code or encoded or encoding or logic)near\$ recompiling and graphics and objects and size and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and ((((program\$4 or code or encoded or encoding or logic)near\$ recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and attribute\$1 and size and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template same object and template same object and templates and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and templates and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and object and replac\$3) or "5566295" or "5831611" or "5973					
size and template and (user or interface or gui) and position3 and iteration and pop adj up and template same object and replac\$3) or "5566255" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3 and (if(((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphic\$1 or "5973686") and graphic\$3 and (if(((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphic\$ and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and stribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphic\$ and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template on or "5973686" or "5831611" or "5973686") and size) and template) and ("79973686") and size) and object and replac\$3) or "5566295" or "5831611" or "5973686") and size)					
or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((programs4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((programs4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((programs4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and			1		
pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and ((((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template or "5973686") and graphic\$3 and ((((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template or "5973686") and size) and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or (((((((((((((((((((((((((((((((((((·		
replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and (((() (program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((() (program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3 and (isize or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and user and attribute\$1 or "5973686") and size) and template) and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and template					
"5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and (((((program\$4 or code or encoded or encoding or logic near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3 and (((((program\$4 or code or encoded or encoding or logic near5 recompiling and graphics and objects and size or attributes)and user and attribute\$1 and size and template and (size or attributes)and user and attribute\$1 and size and template and (size or attributes)and user and attribute\$1 and size and template and (size or attributes)and user and attribute\$1 and size and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or (((((program\$4 or code or encoded or encoding or logic near5 recompiling and graphics and objects and size or "fs81611" or "5973686") and attribute\$1 and size and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 or (((((((((((((((((((((((((((((((((((Ì			
(program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5973686") and graphics) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 or ((((program\$4) or code or encoded or encoding or logic)near5 recompiling and graphics and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4) or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and or "55766295" or "5831611" or "5973686") and template and other template and other template and other template and other template and other template and template and other template and template and template and template and template and template and template and template and template a					
or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "583161" or "5973686") and size)) and (((() (program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and template and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and size or attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template and encoded or encoded or encoded or encoded or encoded or encoded or encoded or encoded or encoded or encoded or logic) near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template and template and template and template and template and					
and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and template and objects and replac\$3) or "5566295" or "5831611" or "5973686") and template and object and replac\$3) or "5566295" or "5831611" or "5973686") and template and object and replac\$3) or "5566295" or "5831611" or "5973686") and template and object and replac\$3) or "5566295" or "5831611" or "5973686") and template and template and template and template and template and template					
user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)and template) and					
template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973666") and size) and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973666") and size) and template) and			,		
gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphics and objects and objects and gize or attribute\$1 or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size or attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)and template and user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)and template and user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)and template and user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)and template and user same object and replac\$3) or "5566295" or "5831611" or "5973686")	}		· ·		
adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and emplate same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and emplate same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and emplate same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and emplate same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template and emplate and emplate same object and replac\$3) or "5566295" or "5831611" or "5973686")			•		
replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and or "5566295" or "5831611" or "5973686") and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and		1			
"5973686") and size))) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and					
(program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template and size and template and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)and template) and			1 - ' '		
or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size or or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") or "5866295" or "5831611" or					
and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and			1 14 2 1		
user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and					
template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template) and					
gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973666") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and	1	1			
adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template) and	1	1	· ·	1	
replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and	1		adj up and template same object and		
"5973686") and graphic\$3) and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and	1		replac\$3) or "5566295" or "5831611" or		
(program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template) and	1				
and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic) near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template) and	1		(program\$4 or code or encoded or encoding	1	
user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and	1				
template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and	1		and objects and (size or attributes) and		
gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and popadj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and	1		•		
adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and popadj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size) and template) and			, <u> </u>		
replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and	1				
"5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and popadj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and	1				
(program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute\$1 and size and template and (user or interface or gui)and position\$3 and iteration and popadj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and					
or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and popadj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template) and	1			1	
and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template) and			1 14 2 2	1	
user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and popadj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and	1			1	
template and (user or interface or gui) and position\$3 and iteration and popadj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size)) and template) and			1		
gui)and position\$3 and iteration and popadj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and	1				
adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and	1	1	· ·		
replac\$3) or "5566295" or "5831611" or "5973686") and size))and template) and					
"5973686") and size))and template) and		1			
pop auj up				1	
	L	<u> </u>	Thoh ari rh	1	

-	0	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near5 recompiling and	US-PGPUB;	00:49
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM TDB	
		or gui) and position\$3 and iteration and	1511_155	
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686" or ((program\$4 or code or		
		encoded or encoding or logic) near5		
		recompiling and graphics and objects and		
i		(size or attributes)and user and		
		attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		·
		and iteration and pop adj up and template		
		same object)) and (((((program\$4 or		
		code or encoded or encoding or		
		logic) near5 recompiling and graphics and		
		objects and (size or attributes) and user		
		and attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		1
		and iteration and pop adj up and template		
		same object and replac\$3) or "5566295" or		
		"5831611" or "5973686") and graphic\$3)		1
		and (((((program\$4 or code or encoded		}
		or encoding or logic)near5 recompiling		
		and graphics and objects and (size or		
		attributes) and user and attribute\$1 and		
1		size and template and (user or interface		
		or qui)and position\$3 and iteration and		
		pop adj up and template same object and		1
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((1
		1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and		
1		user and attribute\$1 and size and		
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		j
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))) and ((((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and	1	
			1	
		user and attribute\$1 and size and	1	
		template and (user or interface or	1	
		gui) and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and graphic\$3) and (((
		(program\$4 or code or encoded or encoding	1	
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes) and]	
		user and attribute\$1 and size and	1	
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((1	
		(program\$4 or code or encoded or encoding	1	
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and	1	
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui)and position\$3 and iteration and pop-		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))and template) and		
1		pop adj up and permission		
				<u> </u>

				1
-	2	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic)near5 recompiling and	US-PGPUB;	00:50
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
		or gui)and position\$3 and iteration and	_	
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686" or ((program\$4 or code or		
		encoded or encoding or logic) near5		
		recompiling and graphics and objects and		
		(size or attributes) and user and		1
	:	attribute\$1 and size and template and		
	ļ	(user or interface or gui) and position\$3		
		and iteration and pop adj up and template		
		same object)) and (((((program\$4 or		1
		code or encoded or encoding or		i
		logic) near5 recompiling and graphics and		1
		objects and (size or attributes) and user		l
		and attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		
İ		and iteration and pop adj up and template		
		same object and replac\$3) or "5566295" or		1
		"5831611" or "5973686") and graphic\$3)		
	:			
		<pre>and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling</pre>		
		and graphics and objects and (size or		
		attributes) and user and attribute\$1 and		
		size and template and (user or interface		
		or qui)and position\$3 and iteration and		
		pop adj up and template same object and		1
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((1
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and		1
		user and attribute\$1 and size and		
		template and (user or interface or		
		qui)and position\$3 and iteration and pop		
		adj up and template same object and		1
		replac\$3) or "5566295" or "5831611" or		
	1			
		"5973686") and size))) and ((((
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics and objects and (size or attributes)and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui)and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or]
		"5973686") and graphic\$3) and (((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and	1	
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))and template) and		
		permission		

	5	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic)near5 recompiling and	US-PGPUB;	00:50
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
	İ	or gui)and position\$3 and iteration and		
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		•
ļ		"5973686" or ((program\$4 or code or		İ
į		encoded or encoding or logic) near5		
		recompiling and graphics and objects and (size or attributes) and user and		
		(size or attributes)and user and attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		
		and iteration and pop adj up and template		
		same object)) and (((((program\$4 or		
		code or encoded or encoding or		İ
		logic) near5 recompiling and graphics and		
		objects and (size or attributes) and user		
	Ì	and attribute\$1 and size and template and		1
		(user or interface or gui) and position\$3		
		and iteration and pop adj up and template		<u> </u>
		same object and replac\$3) or "5566295" or		
1		"5831611" or "5973686") and graphic\$3)		
		<pre>and (((((program\$4 or code or encoded or encoding or logic)near5 recompiling</pre>		
		and graphics and objects and (size or		
		attributes) and user and attribute\$1 and		
		size and template and (user or interface	!	
		or gui) and position \$3 and iteration and		
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
	ļ	template and (user or interface or gui)and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		1
		"5973686") and size))) and (((
İ		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		į.
1		template and (user or interface or		
		gui) and position\$3 and iteration and pop		
İ		adj up and template same object and replac\$3) or "5566295" or "5831611" or		
		"5973686") and graphic\$3) and ((((
		(program\$4 or code or encoded or encoding		
1		or logic) near5 recompiling and graphics		
ŀ		and objects and (size or attributes) and		
	ľ	user and attribute\$1 and size and		
		template and (user or interface or		
1		gui) and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))and template) and		
		pop adj up and user		

-	0	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near5 recompiling and	US-PGPUB;	00:50
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM TDB	
		or gui) and position\$3 and iteration and	1 1011_100	
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686" or ((program\$4 or code or		
		encoded or encoding or logic)near5		
		recompiling and graphics and objects and		1
		(size or attributes) and user and		
		attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		
		and iteration and pop adj up and template		
		same object)) and (((((program\$4 or		
		code or encoded or encoding or		
		logic) near5 recompiling and graphics and		
		objects and (size or attributes) and user		
		and attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		
		and iteration and pop adj up and template		
		same object and replac\$3) or "5566295" or		
		"5831611" or "5973686") and graphic\$3)		
		and (((((program\$4 or code or encoded		
		or encoding or logic) near5 recompiling		
		and graphics and objects and (size or		
		attributes) and user and attribute\$1 and		[
		size and template and (user or interface		
				1
		or gui) and position\$3 and iteration and		
		pop adj up and template same object and		
1		replac\$3) or "5566295" or "5831611" or		į
1		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		
ì	i	adj up and template same object and		
1		, , , , , , , , , , , , , , , , , , , ,		
:		replac\$3) or "5566295" or "5831611" or		i
		"5973686") and size))) and ((((i
		(program\$4 or code or encoded or encoding		[
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		qui)and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or]
		"5973686") and graphic\$3) and (((
	1	(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
	1	and objects and (size or attributes) and		
		user and attribute\$1 and size and	1	
		template and (user or interface or		
		gui)and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
	1			
		and objects and (size or attributes) and		
	!	user and attribute\$1 and size and		
	}	template and (user or interface or]
		gui) and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))and template) and		
		pop adj up and user and permission		
				·

_	1	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic)near5 recompiling and	US-PGPUB;	00:51
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	i i
		or gui)and position\$3 and iteration and		
	İ	pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686" or ((program\$4 or code or		
		encoded or encoding or logic)near5		
i	i	recompiling and graphics and objects and		
		(size or attributes)and user and		·
		attribute\$1 and size and template and		
		(user or interface or gui)and position\$3		
		and iteration and pop adj up and template		
]	same object)) and (((((program\$4 or		
		code or encoded or encoding or		
		logic) near5 recompiling and graphics and		
		objects and (size or attributes) and user		
		and attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		
		and iteration and pop adj up and template		
		same object and replac\$3) or "5566295" or		
		"5831611" or "5973686") and graphic\$3)		
		and (((((program\$4 or code or encoded		
	1	or encoding or logic) near5 recompiling		
		and graphics and objects and (size or		
		attributes) and user and attribute\$1 and		
		size and template and (user or interface		
		or gui) and position\$3 and iteration and		
		pop adj up and template same object and		1
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		1
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))) and ((((
		<pre>(program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics</pre>		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and	:	
		template and (user or interface or]
		gui) and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and graphic\$3) and (((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics	1	
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		qui) and position\$3 and iteration and pop		į l
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
	1	and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		
	!	adj up and template same object and		1
		replac\$3) or "5566295" or "5831611" or		
	1	"5973686") and size))and template) and		
		345/\$.ccls.and permission		

	-	(/ / /	TTG D D M	2000/00/20
	2	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near5 recompiling and	US-PGPUB;	00:51
		graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
		or gui)and position\$3 and iteration and pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686" or ((program\$4 or code or	1	
		encoded or encoding or logic) near5		
		recompiling and graphics and objects and		
		(size or attributes) and user and		
		attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		
		and iteration and pop adj up and template		
		same object)) and (((((program\$4 or		
		code or encoded or encoding or		
		logic)near5 recompiling and graphics and		
		objects and (size or attributes) and user		
		and attribute\$1 and size and template and		
		(user or interface or gui)and position\$3		
		and iteration and pop adj up and template		
		same object and replac\$3) or "5566295" or		
		"5831611" or "5973686") and graphic\$3)		
		and (((((program\$4 or code or encoded		
		or encoding or logic) near5 recompiling		
		and graphics and objects and (size or		
		attributes) and user and attribute\$1 and size and template and (user or interface		
		or qui) and position\$3 and iteration and		
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes)and		
		user and attribute\$1 and size and		
		template and (user or interface or		ļ į
		gui) and position\$3 and iteration and pop		İ
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or "5973686") and size))) and (((([
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics]
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui)and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and graphic\$3) and ((((
		(program\$4 or code or encoded or encoding		
		or logic) near5 recompiling and graphics		
		and objects and (size or attributes)and user and attribute\$1 and size and		
		template and (user or interface or		
		gui)and position\$3 and iteration and pop		
		adj up and template same object and		
į		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics		
		and objects and (size or attributes) and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui) and position\$3 and iteration and pop		e e seus a Africa como e contrar co
		adj up and template same object and replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))and template) and		
		permission		

(((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686" or ((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object)) and ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$) and user and attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and graphic\$3) and ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attribute\$1 and size and template and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1) or ((((program\$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes) and user and attribute\$1 and size and templace and (user or interface or gui) and position\$3 and iteration and pop adj up and template same object and replac\$3) or "5566295" or "5831611" or "5973686") and size or "5831611" or "5973686") and size))) and user same permission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:51

	1			T = 1 = 1 = 1 = 1 = 1
-	2	(((program\$4 or code or encoded or	USPAT;	2002/08/20
		encoding or logic) near5 recompiling and	US-PGPUB;	00:51
	1	graphics and objects and (size or	EPO; JPO;	
		attributes) and user and attribute\$1 and	DERWENT;	
		size and template and (user or interface	IBM_TDB	
		or gui) and position\$3 and iteration and	1	
		pop adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
1		"5973686" or ((program\$4 or code or		
		encoded or encoding or logic)near5		
		recompiling and graphics and objects and		
		(size or attributes) and user and		
		attribute\$1 and size and template and		
,		(user or interface or gui) and position\$3		
	1	and iteration and pop adj up and template		
		same object)) and (((((program\$4 or		
		code or encoded or encoding or		
		logic) near5 recompiling and graphics and		
		objects and (size or attributes) and user and attribute\$1 and size and template and		
		(user or interface or gui) and position\$3		
1		and iteration and pop adj up and template same object and replac\$3) or "5566295" or		
1		"5831611" or "5973686") and graphic\$3)		
1				
1		and (((((program\$4 or code or encoded		
1		or encoding or logic) near5 recompiling		
1		and graphics and objects and (size or attributes) and user and attribute\$1 and		
		size and template and (user or interface		
	ĺ	or gui)and position\$3 and iteration and		
		pop adj up and template same object and		
İ		replac\$3) or "5566295" or "5831611" or		
		"5973686") and attribute\$1) or (((
		1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
		(program\$4 or code or encoded or encoding		
		or logic)near5 recompiling and graphics and objects and (size or attributes)and		
		user and attribute\$1 and size and		
		template and (user or interface or		
		gui)and position\$3 and iteration and pop		
		adj up and template same object and		
		replac\$3) or "5566295" or "5831611" or		
		"5973686") and size))) and permission		
_	32	"5566295"	USPAT;	2002/08/21
	32	3300233	US-PGPUB;	11:39
			EPO; JPO;	11.39
			DERWENT;	
			IBM TDB	
l _	12	"5831611"	USPAT;	2002/08/21
	1		US-PGPUB;	11:40
1			EPO; JPO;	11.10
			DERWENT;	[
			IBM TDB	
_	5	"5973686"	USPAT;	2002/08/21
		·	US-PGPUB;	11:40
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
-	39	"4742467" and (size or attributes)	USPAT;	2002/08/21
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	13:44
			EPO; JPO;	
]		DERWENT;	
	1		IBM TDB	
_	1	re37,722 and (size or attributes)	USPAT;	2002/08/21
		,	US-PGPUB;	13:50
]		EPO; JPO;	
			DERWENT;	
] [IBM TDB	
-	2	"6195651" and (size or attributes)	USPAT;	2002/08/21
			US-PGPUB;	13:50
]		EPO; JPO;	
	1		DERWENT;	
I	1	•	IBM TDB	

-	5	"6195651" and user	USPAT;	2002/08/21
			US-PGPUB;	17:33
			EPO; JPO;	
			DERWENT;	[
İ			IBM TDB	i l
-	0	"6195651" and user and manual	USPĀT;	2002/08/21
			US-PGPUB;	17:30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	re37,722 and user	USPAT;	2002/08/21
		, ·	US-PGPUB;	17:33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	re37,722 and user and manual	USPAT;	2002/08/21
			US-PGPUB;	17:33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	1	re37,722 and user and gui	USPAT;	2002/08/21
	_	Too,,, and and and gar	US-PGPUB;	18:52
			EPO; JPO;	10.02
			DERWENT;	i i
			IBM TDB	
_	4	"6195651" and code	USPAT;	2002/08/21
	•	orgonor and obac	US-PGPUB;	18:59
			EPO; JPO;	10.00
1			DERWENT;]
			IBM TDB	
l _	1	re37,722 and template	USPAT;	2002/08/21
		Lot, , . LL dira complate	US-PGPUB;	18:53
			EPO; JPO;	10.33
			DERWENT;	
\ <u>_</u>	3	"6195651" and hierarch\$7	IBM_TDB USPAT;	2002/08/21
]	Olygool and metalomy/	US-PGPUB;	18:59
]			10:39
1	1		EPO; JPO;	1
1			DERWENT;	ļ
			IBM TDB	<u> </u>